

## PATENT COOPERATION TREATY

PCT

## NOTIFICATION OF ELECTION

(PCT Rule 61.2)

From the INTERNATIONAL BUREAU

To:

Commissioner  
 US Department of Commerce  
 United States Patent and Trademark  
 Office, PCT  
 2011 South Clark Place Room  
 CP2/5C24  
 Arlington, VA 22202  
 ETATS-UNIS D'AMERIQUE

in its capacity as elected Office

|  |  |
|--|--|
| <b>Date of mailing</b> (day/month/year)<br>09 May 2001 (09.05.01)              |  |
| <b>International application No.</b><br>PCT/IS00/00007                         | <b>Applicant's or agent's file reference</b><br>P225PC00           |
| <b>International filing date</b> (day/month/year)<br>29 August 2000 (29.08.00) | <b>Priority date</b> (day/month/year)<br>31 August 1999 (31.08.99) |
| <b>Applicant</b><br>ARNASON, Ingolfur et al                                    |  |

1. The designated Office is hereby notified of its election made:

☒ in the demand filed with the International Preliminary Examining Authority on:

21 February 2001 (21.02.01)

☐ in a notice effecting later election filed with the International Bureau on:
2. The election ☒ was
☐ was not

made before the expiration of 19 months from the priority date or, where Rule 32 applies, within the time limit under Rule 32.2(b).

|   |   |
|---|---|
| The International Bureau of WIPO<br>34, chemin des Colombettes<br>1211 Geneva 20, Switzerland<br><br>Facsimile No.: (41-22) 740.14.35 | Authorized officer<br><br>Charlotte ENGER<br><br>Telephone No.: (41-22) 338.83.38 |
|---|---|

## PATENT COOPERATION TREATY

## PCT

## INTERNATIONAL SEARCH REPORT

(PCT Article 18 and Rules 43 and 44)

|  |   |  |
|--|---|--|
| Applicant's or agent's file reference<br><b>P225PC00</b> | <b>FOR FURTHER ACTION</b> see Notification of Transmittal of International Search Report (Form PCT/ISA/220) as well as, where applicable, item 5 below. |  |
| International application No.<br><b>PCT/IS 00/ 00007</b> | International filing date (day/month/year)<br><b>29/08/2000</b>   | (Earliest) Priority Date (day/month/year)<br><b>31/08/1999</b> |
| Applicant<br><br><b>SKAGINN HF...</b>                    |   |  |

This International Search Report has been prepared by this International Searching Authority and is transmitted to the applicant according to Article 18. A copy is being transmitted to the International Bureau.

This International Search Report consists of a total of 3 sheets.

☒ It is also accompanied by a copy of each prior art document cited in this report.

**1. Basis of the report**

- a. With regard to the **language**, the international search was carried out on the basis of the international application in the language in which it was filed, unless otherwise indicated under this item.

☐ the international search was carried out on the basis of a translation of the international application furnished to this Authority (Rule 23.1(b)).

- b. With regard to any **nucleotide and/or amino acid sequence** disclosed in the international application, the international search was carried out on the basis of the sequence listing :

☐ contained in the international application in written form.

☐ filed together with the international application in computer readable form.

☐ furnished subsequently to this Authority in written form.

☐ furnished subsequently to this Authority in computer readable form.

☐ the statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished.

☐ the statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished

2. ☐ **Certain claims were found unsearchable** (See Box I).

3. ☐ **Unity of invention is lacking** (see Box II).

**4. With regard to the title,**

☒ the text is approved as submitted by the applicant.

☐ the text has been established by this Authority to read as follows:

**5. With regard to the abstract,**

☒ the text is approved as submitted by the applicant.

☐ the text has been established, according to Rule 38.2(b), by this Authority as it appears in Box III. The applicant may, within one month from the date of mailing of this international search report, submit comments to this Authority.

6. The figure of the **drawings** to be published with the abstract is Figure No.

☒ as suggested by the applicant.

☐ because the applicant failed to suggest a figure.

☐ because this figure better characterizes the invention.

1  
☐ None of the figures.

1

# INTERNATIONAL SEARCH REPORT

International application No.

PCT/IS 00/00007

## A. CLASSIFICATION OF SUBJECT MATTER

IPC7: F25D 13/06, F25D 25/04, A23B 4/06, A23L 3/36

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC7: F25D, B65G, A23B, A23L

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

| Category* | Citation of document, with indication, where appropriate, of the relevant passages  | Relevant to claim No. |
|-----------|---|-----------------------|
| X         | EP 0451346 A2 (KABUSHIKI KAISHA TAIHEI SEISAKUSHO),<br>16 October 1991 (16.10.91), column 2,<br>line 44 - column 3, line 33; column 5,<br>line 38 - column 6, line 23, figures 1-37 | 23                    |
| A         | --  | 1-22                  |
| A         | US 3584471 A (H.R. POWELL), 15 June 1971<br>(15.06.71), the whole document  | 1-23                  |
| A         | US 4205536 A (K. KASAHARA), 3 June 1980 (03.06.80),<br>the whole document   | 1-23                  |
|           | --  |                       |

☒ Further documents are listed in the continuation of Box C.

☒ See patent family annex.

\* Special categories of cited documents:

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier application or patent but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&" document member of the same patent family

Date of the actual completion of the international search

Date of mailing of the international search report

28 November 2000

26.02.2000

Name and mailing address of the International Searching Authority  
European Patent Office P.B. 5818 Patentlaan 2  
NL-2280 HV Rijswijk  
Tel(+31-70)340-2040, Tx 31 651 epo nl,  
Fax(+31-70)340-3016

Authorized officer

Inger Löfving / MRo  
Telephone No.

## INTERNATIONAL SEARCH REPORT

International application No.

PCT/IS 00/00007

| C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT |   |                       |
|---|---|-----------------------|
| Category*   | Citation of document, with indication, where appropriate, of the relevant passages              | Relevant to claim No. |
| A   | US 4881379 A (T. SAKAI), 21 November 1989<br>(21.11.89), the whole document<br>--               | 1-23                  |
| A   | US 5520013 A (J-C., KUO), 28 May 1996 (28.05.96),<br>the whole document<br>--                   | 1-22                  |
| A   | EP 0262247 A1 (FRISCO-FINDUS AG), 6 April 1988<br>(06.04.88), the whole document<br>--<br>----- | 1-22                  |

# INTERNATIONAL SEARCH REPORT

Information on patent family members

A 297781

International application No.

02/11/00

PCT/IS 00/00007

| Patent document<br>cited in search report |         |    | Publication<br>date | Patent family<br>member(s) |              | Publication<br>date |
|---|---------|----|---------------------|----------------------------|--------------|---------------------|
| EP  | 0451346 | A2 | 16/10/91            | DE                         | 69020720 D,T | 14/03/96            |
|   |         |    |                     | FI                         | 96447 B,C    | 15/03/96            |
|   |         |    |                     | FI                         | 905826 A     | 30/09/91            |
|   |         |    |                     | JP                         | 3087201 A    | 12/04/91            |
| -----                                     |         |    |                     |                            |              |                     |
| US  | 3584471 | A  | 15/06/71            | DE                         | 2038989 A    | 25/02/71            |
|   |         |    |                     | FR                         | 2056538 A    | 14/05/71            |
|   |         |    |                     | GB                         | 1314895 A    | 26/04/73            |
|   |         |    |                     | SE                         | 362949 B     | 27/12/73            |
| -----                                     |         |    |                     |                            |              |                     |
| US  | 4205536 | A  | 03/06/80            | DE                         | 2808837 A,C  | 07/09/78            |
|   |         |    |                     | JP                         | 1014517 C    | 25/09/80            |
|   |         |    |                     | JP                         | 53106956 A   | 18/09/78            |
|   |         |    |                     | JP                         | 55005022 B   | 02/02/80            |
|   |         |    |                     | SE                         | 439367 B,C   | 10/06/85            |
|   |         |    |                     | SE                         | 7802116 A    | 02/09/78            |
|   |         |    |                     | JP                         | 53109408 A   | 25/09/78            |
|   |         |    |                     | JP                         | 1346625 C    | 13/11/86            |
|   |         |    |                     | JP                         | 53138657 A   | 04/12/78            |
|   |         |    |                     | JP                         | 59051774 B   | 15/12/84            |
|   |         |    |                     | JP                         | 53138625 A   | 04/12/78            |
|   |         |    |                     | JP                         | 53146435 A   | 20/12/78            |
| -----                                     |         |    |                     |                            |              |                     |
| US  | 4881379 | A  | 21/11/89            | AU                         | 608097 B     | 21/03/91            |
|   |         |    |                     | AU                         | 2654988 A    | 12/07/90            |
|   |         |    |                     | CA                         | 1328357 A    | 12/04/94            |
|   |         |    |                     | GB                         | 2225629 A,B  | 06/06/90            |
|   |         |    |                     | GB                         | 8828126 D    | 00/00/00            |
| -----                                     |         |    |                     |                            |              |                     |
| US  | 5520013 | A  | 28/05/96            | NONE                       |              |                     |
| -----                                     |         |    |                     |                            |              |                     |
| EP  | 0262247 | A1 | 06/04/88            | AT                         | 44436 T      | 15/07/89            |
|   |         |    |                     | AU                         | 598028 B     | 14/06/90            |
|   |         |    |                     | AU                         | 7813487 A    | 14/04/88            |
|   |         |    |                     | BR                         | 8705046 A    | 24/05/88            |
|   |         |    |                     | CA                         | 1303548 A    | 16/06/92            |
|   |         |    |                     | DE                         | 3664248 D    | 00/00/00            |
|   |         |    |                     | ES                         | 2009865 A    | 16/10/89            |
|   |         |    |                     | FI                         | 91035 B,C    | 31/01/94            |
|   |         |    |                     | FI                         | 874207 A     | 02/04/88            |
|   |         |    |                     | HK                         | 32890 A      | 04/05/90            |
|   |         |    |                     | HU                         | 49827 A      | 28/11/89            |
|   |         |    |                     | HU                         | 209449 B     | 28/06/94            |
|   |         |    |                     | IE                         | 60491 B      | 27/07/94            |
|   |         |    |                     | JP                         | 1705785 C    | 27/10/92            |
|   |         |    |                     | JP                         | 3072260 B    | 18/11/91            |
|   |         |    |                     | JP                         | 63279763 A   | 16/11/88            |
|   |         |    |                     | MX                         | 168623 B     | 01/06/93            |
|   |         |    |                     | NO                         | 169152 B,C   | 10/02/92            |
|   |         |    |                     | NO                         | 874070 A     | 05/04/88            |
|   |         |    |                     | PT                         | 85832 A,B    | 30/11/88            |
|   |         |    |                     | US                         | 4831923 A    | 23/05/89            |
| -----                                     |         |    |                     |                            |              |                     |

PCT

REC'D 27 NOV 2001

## INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

14



|  |   |  |
|--|---|--|
| Applicant's or agent's file reference<br>P225PC00  | <b>FOR FURTHER ACTION</b> See Notification of Transmittal of International Preliminary Examination Report (Form PCT/IPEA/416) |  |
| International application No.<br>PCT/IS00/00007  | International filing date (day/month/year)<br>29/08/2000  | Priority date (day/month/year)<br>31/08/1999 |
| International Patent Classification (IPC) or national classification and IPC<br>F25D3/00 |   |  |
| Applicant<br>SKAGINN HF et al  |   |  |

- This international preliminary examination report has been prepared by this International Preliminary Examining Authority and is transmitted to the applicant according to Article 36.
- This REPORT consists of a total of 6 sheets, including this cover sheet.  
  
☒ This report is also accompanied by ANNEXES, i.e. sheets of the description, claims and/or drawings which have been amended and are the basis for this report and/or sheets containing rectifications made before this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions under the PCT).

These annexes consist of a total of 5 sheets.

- This report contains indications relating to the following items:

- |      |   |
|------|---|
| I    | <input checked="" type="checkbox"/> Basis of the report   |
| II   | <input type="checkbox"/> Priority   |
| III  | <input type="checkbox"/> Non-establishment of opinion with regard to novelty, inventive step and industrial applicability   |
| IV   | <input type="checkbox"/> Lack of unity of invention   |
| V    | <input checked="" type="checkbox"/> Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement |
| VI   | <input type="checkbox"/> Certain documents cited  |
| VII  | <input checked="" type="checkbox"/> Certain defects in the international application  |
| VIII | <input checked="" type="checkbox"/> Certain observations on the international application   |

|   |  |
|---|--|
| Date of submission of the demand<br><br>21/02/2001  | Date of completion of this report<br><br>22.11.2001  |
| Name and mailing address of the international preliminary examining authority:<br><br> European Patent Office<br>D-80298 Munich<br>Tel. +49 89 2399 - 0 Tx: 523656 epmu d<br>Fax: +49 89 2399 - 4465 | Authorized officer<br><br>Merk, A<br><br>Telephone No. +49 89 2399 2935<br><br> |

# INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No. PCT/IS00/00007

## I. Basis of the report

1. With regard to the **elements** of the international application (*Replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report since they do not contain amendments (Rules 70.16 and 70.17)*):

### Description, pages:

1-10 as originally filed

### Claims, No.:

1-20 with telefax of 23/10/2001

21 with telefax of 30/10/2001

### Drawings, sheets:

1/5-5/5 as originally filed

2. With regard to the **language**, all the elements marked above were available or furnished to this Authority in the language in which the international application was filed, unless otherwise indicated under this item.

These elements were available or furnished to this Authority in the following language: , which is:

- ☐ the language of a translation furnished for the purposes of the international search (under Rule 23.1(b)).
- ☐ the language of publication of the international application (under Rule 48.3(b)).
- ☐ the language of a translation furnished for the purposes of international preliminary examination (under Rule 55.2 and/or 55.3).

3. With regard to any **nucleotide and/or amino acid sequence** disclosed in the international application, the international preliminary examination was carried out on the basis of the sequence listing:

- ☐ contained in the international application in written form.
- ☐ filed together with the international application in computer readable form.
- ☐ furnished subsequently to this Authority in written form.
- ☐ furnished subsequently to this Authority in computer readable form.
- ☐ The statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished.
- ☐ The statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished.

4. The amendments have resulted in the cancellation of:

# INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No. PCT/IS00/00007

- ☐ the description,      pages:  
☐ the claims,      Nos.:  
☐ the drawings,      sheets:

5. ☐ This report has been established as if (some of) the amendments had not been made, since they have been considered to go beyond the disclosure as filed (Rule 70.2(c)):

*(Any replacement sheet containing such amendments must be referred to under item 1 and annexed to this report.)*

6. Additional observations, if necessary:

## V. Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

### 1. Statement

|                               |      |        |      |
|-------------------------------|------|--------|------|
| Novelty (N)                   | Yes: | Claims | 1-21 |
|                               | No:  | Claims |      |
| Inventive step (IS)           | Yes: | Claims | 1-21 |
|                               | No:  | Claims |      |
| Industrial applicability (IA) | Yes: | Claims | 1-21 |
|                               | No:  | Claims |      |

2. Citations and explanations  
**see separate sheet**

## VII. Certain defects in the international application

The following defects in the form or contents of the international application have been noted:  
**see separate sheet**

## VIII. Certain observations on the international application

The following observations on the clarity of the claims, description, and drawings or on the question whether the claims are fully supported by the description, are made:  
**see separate sheet**



**Re Item V**

**Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement**

Reference is made to the following document:

D1: EP-A-0 451 346

**Claim 1:**

Document D1, which is considered to represent the most relevant state of the art, discloses (see especially figures 1-3 and columns 2, 3 and 5, 6) a thermal processing chamber for processing individual product items (25), said processing chamber comprising:

- a conveyor (6) for conveying the product items (25) in the chamber, said conveyor (6) comprising:
  - a conveyor belt forming an endless loop with a processing part and an idling part, the conveyor belt comprising a plurality of thermal conductive elements (8), each of the elements (8) being adapted to obtain a first orientation in the processing part of the loop and adapted to obtain a second orientation in the idling part of the loop, the first orientation providing a substantially plan and continuous surface for supporting the product items across at least a number of the elements (8),
  - means for providing thermal media to the chamber; and
  - power driven means (19, 20) for advancing the conveyor belt,

wherein the thermal processing of the product items (25) is performed by a thermal convection from the elements (8) to the product items (25).

It has to be remarked that although a chamber which comprises the claimed features has not been explicitly mentioned in D1 it is absolutely clear that this chamber is implicitly present. At least the apparatus would be erected in a building (and not in the open air) which must be considered as being a chamber in the sense of claim 1.

The subject-matter of claim 1 differs from this known prior art document in that the second orientation of the elements provides a passage between the elements so as to allow the gas to flow between the elements.

These differentiating features are neither known from nor rendered obvious by the available prior art documents. They provide the advantage of an improvement of the efficiency and quality of the processing of sensitive food products. Hence, the subject-matter of claim 1 of the present application can be considered as being new and inventive (Articles 33 (2) and (3) PCT).

Claims 2-20:

As claim 1 is considered as being new and inventive and claims 2-20 are dependent on claim 1, these claims can also be considered as new and inventive in the sense of Articles 33(2) and (3) PCT.

Claim 21:

As the subject-matter of the claims 1-20 is considered as being new and inventive and claim 21 is directed to a method for the use of the inventive apparatus of one of these claims 1-20 by reference, claim 21 is also considered as being new and inventive in the sense of Articles 33(2) and (3) PCT.

The industrial applicability of the invention is obvious.

**Re Item VII**

**Certain defects in the international application**

Independent claim 1 is not in the two-part form in accordance with Rule 6.3(b) PCT, which in the present case would be appropriate, with those features known in combination from the prior art (document D1) being placed in the preamble (Rule 6.3(b)(i) PCT) and with the remaining features being included in the characterising part (Rule 6.3(b)(ii) PCT).

**INTERNATIONAL PRELIMINARY  
EXAMINATION REPORT - SEPARATE SHEET**

---

International application No. PCT/IS00/00007

The features of the claims are not provided with reference signs placed in parentheses (Rule 6.2(b) PCT).

Contrary to the requirements of Rule 5.1(a)(ii) PCT, the relevant background art disclosed in the documents D1 is not mentioned in the description, nor is this document identified therein.

**Re Item VIII**

**Certain observations on the international application**

In claim 1, the expression "at least a number of the elements" renders the claim unclear (Article 6 PCT). Either "at least one (or another number)" should have been indicated or the expression should have been reduced to "a number of elements". "A number of" already means "at least one", so that both expressions together are not appropriate.

Claim 5 should have been correctly back referenced to "claims 1-5" instead of "2-6".

10/069483  
JC19 Rec'd PCT/PTO 27 FEB 2002

Annexes (amended sheets) to the Preliminary Examination Report

JC19 Rec'd PCT/PTO 27 FEB 2002

1

## New set of claims

1. A thermal processing chamber for processing individual product items, said processing chamber comprising:

- a conveyor for conveying the product items in the chamber, said conveyor comprising:
- a conveyor belt forming an endless loop with a processing part and an idling part, the conveyor belt comprising a plurality of thermal conductive elements, each of the elements being adapted to obtain a first orientation in the processing part of the loop and adapted to obtain a second orientation in the idling part of the loop, the first orientation providing a substantially plan and continuous surface for supporting the product items across at least a number of the elements and wherein the second orientation of the elements provides a passage between the elements so as to allow the gas to flow between the elements,
- means for providing a thermal media to the chamber, and
- power driven means for advancing the conveyor belt,

wherein the thermal processing of the product items is performed by a thermal convection from the elements to the product items.

2. A thermal processing chamber according to claim 1, wherein the thermal media is a gas.

3. A thermal processing chamber according to claim 1, wherein the second orientation is adjustable so that the size of the passage is adjustable whereby the amount of gas flowing between the elements can be controlled.

4. A thermal processing chamber according to any of the preceding claims, wherein the thermal conductive elements are parallel arranged elongated beams having a wing formed cross sectional shape.

5. A thermal processing chamber according to any of claims 2-6, wherein the thermal processing of the product items is performed by a combination of a first thermal convection from the elements to the product items and a second thermal convection from the thermal media to the product items.

6. A thermal processing chamber according to any of the preceding claims, wherein the elements are being thermally influenced by a third thermal convection from the thermal media to the elements.

7. A thermal processing chamber according to any of the preceding claims, wherein the thermal media is being thermally influenced by a fourth thermal convection from the elements to the thermal media.

8. A thermal processing chamber according to any of the preceding claims, wherein the thermal processing is freezing of the product items and wherein the thermal media is a cooling media.

9. A thermal processing chamber according to claim 8, wherein the cooling media is selected from a group comprising:

- plain air,
- CO<sub>2</sub> and

– nitrogen.

10. A thermal processing chamber according to claim 8 or 9, wherein the elements are cooled electrically.

11. A thermal processing chamber according to any of claims 1-7, wherein the thermal processing is heating and wherein the thermal media is heated gas.

12. A thermal processing chamber according to claim 10 or 11, wherein the elements are heated by electricity.

13. A thermal processing chamber according to any of the preceding claims, wherein the elements are made from a thermal conductive material.

14. A thermal processing chamber according to claim 13, wherein the thermal conductivity of the material is between 30 and 230 W/(K\*m), such as between 209 W/(K\*m) and 229 W/(K\*m).

15. A thermal processing chamber according to any of the preceding claims, wherein the elements are made from aluminium.

16. A thermal processing chamber according to any of the preceding claims, wherein the elements are coated with a material with a low surface friction.

17. A thermal processing chamber according to any of the preceding claims, wherein the elements are adapted to rotate from the first orientation to the second orientation upon movement of the elements in the endless loop from the processing part to the idling part of the loop and wherein the elements are adapted to rotate back from the second position to the first position upon

movement of the element in the endless loop from the idling part to the processing part of the loop.

18. A thermal processing chamber according to claim 17, wherein the rotation is driven by gravity.

19. A thermal processing chamber according to any of the preceding claims, further comprising an additional conveyor with a conveyor belt forming an endless loop, the conveyor belt having a partly open surface towards the thermal media.

20. A thermal processing chamber according to any of the preceding claims, wherein the product items are food items.

21. A method of thermally processing product items in a thermal processing chamber provided with a thermal media, said method comprising the steps of:

- conveying the product items through the chamber on a plurality of thermally conductive elements,
- thermally processing the product by providing a thermal convection from the elements to the product items, and
- simultaneously providing a thermal convection from the thermal media to the product items.



**New claim 21**

21. A method of processing product items in a thermal processing chamber according to any of the claims 1 – 20, said method comprising the steps of:

- conveying the product items through the chamber on a plurality of thermally conductive elements,
- thermally processing the product by providing a thermal convection from the elements to the product items, and

simultaneously providing a thermal convection from the thermal media to the product items.

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
8 March 2001 (08.03.2001)

PCT

(10) International Publication Number  
**WO 01/16537 A2**

(51) International Patent Classification<sup>7</sup>: **F25D 3/00**

(21) International Application Number: **PCT/IS00/00007**

(22) International Filing Date: **29 August 2000 (29.08.2000)**

(25) Filing Language: **English**

(26) Publication Language: **English**

(30) Priority Data:  
5170 31 August 1999 (31.08.1999) **IS**

(71) Applicant (for all designated States except US): **SK-AGINN HF. [IS/IS]; Bakkatuni 26, IS-300 Akranes (IS).**

(72) Inventors; and

(75) Inventors/Applicants (for US only): **ARNASON, Ingolfur [IS/IS]; Soleyjargotu 14, IS-300 Akranes (IS). NORD-DAHL, Gardar [IS/IS]; Sunnubraut 30, IS-300 Akranes (IS).**

(74) Agent: **A & P ARNASON; Borgartun 24, IS-105 Reykjavik (IS).**

(81) Designated States (*national*): **AE, AG, AL, AM, AT, AT (utility model), AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, CZ (utility model), DE, DE (utility model), DK, DK (utility model), DM, DZ, EE, EE (utility model), ES, FI, FI (utility model), GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KR (utility model), KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SK (utility model), SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.**


(84) Designated States (*regional*): **ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).**

**Published:**

— *Without international search report and to be republished upon receipt of that report.*

*For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

(54) Title: **A THERMAL PROCESSING CHAMBER AND A METHOD OF THERMALLY PROCESSING PRODUCTS**



(57) Abstract: The present invention relates to a chamber and a method for continuous thermal processing of products being conveyed through the chamber. The thermal processing could be quick-freezing of fish or similar food items. The invention relates more specifically to a device and a method for processing the food items by means of thermal convection directly from a conveyor belt combined with thermal convection from an additional thermal source such as from the surrounding air. The combination of thermal induction provides a good performance e.g. for freezing products fast. The invention further relates to a conveyor belt for form stabilising the food items during the thermal process.

WO 01/16537 A2

## A THERMAL PROCESSING CHAMBER AND A METHOD OF THERMALLY PROCESSING PRODUCTS

### Field of the Invention

- 5 The present invention relates to thermal processing of items in a continuous process, especially food products. The invention relates to a chamber and a method for heating or freezing food products by a combination between thermal convection between a conveyor belt and the product and thermal convection between a cooling or heating medium and the product. The combination provides a better product quality and a higher capacity of
- 10 the chamber.

### Description of the Prior Art

- Devices and methods for continuously freezing or heating food products e.g. for form freezing the food products exist. Known devices typically have conveying means for
- 15 conveying the food products through either a heating or a freezing process. The conveying means are typically provided as conveyor belts with an open structure allowing either a cooling or a heating medium such as air to pass through the belt. The belts therefore have conveying surfaces which are non-uniform or rough and which typically causes unwanted structures in the food products as they are either heated or frozen while
- 20 being supported on the surface. Furthermore the non-uniformity gives a poor thermal convection from the surface of the conveyor belt to the food products and therefore the thermal efficiency of the devices is relatively low.

- When sensitive or delicate food products, such as fish fillets are individually frozen, it is
- 25 necessary that the products obtain a stiff outer shape before the product is being handled further, otherwise the value of the product may be lowered. It is therefore essential that the form freezing of the products is completed in one process. In order to ensure the form stability the known tunnel freezers or IQF (Individual quick freezer) installations have relatively long form freezing conveyor belts and therefore the known freezers take up
- 30 relatively much space. The same problem applies for devices for continuous heating such as for conveyor ovens.

The known devices typically use conveyer belts wherein a cooling or a heating medium is blown onto the food items either from the side of the belt or from above the belt. Sufficient cooling or heating is achieved by extending the length of the conveyer belts and thereby the size of the chamber. This can be a problem e.g. when the chamber is installed in  
5 ships or in other places with limited space.

#### Description of the Invention

It is an object of the present invention to provide a method and a device for continuously processing sensitive food products wherein the efficiency of the processing is improved so  
10 that the quality of the product can be improved with the use of less space for the device.

According to the object the present invention relates to a thermal processing chamber for processing individual product items, said processing chamber comprising:

- 15 – a conveyor for conveying the product items in the chamber, said conveyor comprising:
  - a conveyor belt forming an endless loop with a processing part and an idling part, the conveyor belt comprising a plurality of thermal conductive elements, each of the elements being adapted to obtain a first orientation in the processing part of the loop  
20 and adapted to obtain a second orientation in the idling part of the loop, the first orientation providing a substantially plan and continuous surface for supporting the product items across at least a number of the elements, and
  - power driven means for advancing the conveyor belt,
- 25 wherein the thermal processing of the product items is performed by a thermal convection from the elements to the product items.

The power driven means could be regular AC/DC motors with a control system adapted for controlling the position and speed of the conveyor belt. The control system could be  
30 integrated in an industrial PC, which could also be used for the control of the chamber in general, e.g. for the control of the temperature of the chamber or for the control of the processing of the product items.

The chamber may further have means for providing a thermal media to the chamber. The  
35 thermal media could be a gas such as plain air, which is either relatively hot or cold.

The second orientation of the elements could preferably be adapted so that a passage is provided between the elements. This will allow the cold or hot air to flow between the elements and thereby ensure a good distribution of the cold or hot medium in the  
5 chamber. At the same time it will allow the medium to cool the elements down or heat them up before they re-enter the processing part of the loop. Preferably the second orientation is adjustable so that the size of the passage can be adjusted, e.g. so that the amount of gas flowing between the elements can be controlled.

10 The thermal conductive elements could be parallel arranged elongated beams having a wing formed cross sectional shape. By arranging each of the beams pivotally around a longitudinal centre axis of the beams, the first orientation of the beams may provide a flat and continued surface across a number of the beams. The second orientation of the  
15 beams may provide an open structure with good conditions for the flow of the medium between the beams.

The thermal processing of the product items is preferably performed as a combination of a first thermal convection from the elements to the product items and a second thermal convection from the thermal media to the product items.

20

The elements could be thermally influenced by a thermal convection from the thermal media to the elements or the thermal media could be influenced by a thermal convection from the element. As an example the elements could be either cooled down or heated up with cold or hot air flowing in between the elements or the air flowing in between the  
25 elements could be either heated or cooled down by the elements. The one or the other situation could be selected based upon which heating or cooling procedure that would be beneficial for a specific case. In a regular cooling process it would make most sense to let the elements be cooled down with cold air produced in a regular cooling element, e.g. comprising a compressor and an evaporator. In a regular heating process on the other  
30 hand, it may make more sense to let the air be heated as it passes the elements, which are heated, from internal electric heating elements.

According to one embodiment of the invention the thermal processing is freezing of the product items and accordingly the thermal media is a cooling media, which could be selected from a group comprising:

- 5 – plain air,
- CO<sub>2</sub>, and
- nitrogen.

The elements could also cooled electrically, e.g. by internal thermoelectric elements.

10

According to another embodiment of the invention the thermal processing is heating and accordingly the thermal media is heated gas such as heated air. The air could be heated in a heat exchanger or the air could be heated by the elements, which again could be heated by internal electric heating elements.

15

Preferably the elements are made from a material with a good thermal conductivity such as aluminium. It has been found that a conductivity between 30 W/(K\*m) and 230 W/(K\*m), such as between 209 W/(K\*m) and 229 W/(K\*m) is preferred in order to obtain an efficient cooling or heating of the product items positioned on the elements. W is the  
20 conducted energy, K is degrees Kelvin and m is the length of the material.

The elements could be coated with a material with a low surface friction for the working temperature. As an example the elements could be coated with PTFE (Teflon™) or a similar plastic material. The coating enables the products to fall off the conveyor at the  
25 end of the processing part of the loop, and not stick to the surface of the elements after either a freezing of the products or after a heating of the products. The coating could further protect the elements from corroding. Preferably the elements or the beams are made from deep drawn aluminium profiles which after a chemical sintering is coated with Teflon™.

30

The elements could be adapted to rotate from the first orientation to the second orientation upon movement of the elements in the endless loop from the processing part to the idling part of the loop. The rotation could be caused by gravity in that the elements or beams simply falls from the first orientation around a pivotal hinge into the second  
35 orientation. The elements could then be adapted to rotate back from the second

orientation to the first orientation upon movement of the element in the endless loop from the idling part to the processing part of the loop. The rotation could again be caused by gravity in that the elements and the beams are rotating as they are raised vertically in a circular movement, e.g. around a support or driving wheel of the conveyor. The rotation of the elements or beams could be stopped in the second orientation wherein the elements or beams are supported, e.g. by the succeeding element or beam in the loop.

The thermal chamber may be provided with a number of additional conveyors. The additional conveyors could be provided with belts having a partly open surface towards the thermal media. As an example the belts can be regular plastic belts with a 20, 30 or even 40 percent open structure allowing the thermal media to path through the belts. Such belts would not support thermal convection directly from the belt to the product items but would support the thermal media to flow through the belt and therefore support the convection from the thermal media to the product. The convection e.g. from air to the product would not be as effective as convection directly from a belt to a product fully supported on the surface of the belt. Still the convection is relatively effective in the case the products are not lying firmly against the surface of the belt anyway and that would typically be the case after the products have been thrown from one belt to another. The plastic belts or similar regular belts can be used e.g. to full freeze the products by convection between the air and the products.

According to a preferred embodiment of the invention the product items are food items such as fish, meat, cake, bread etc. Accordingly the materials selected for the chamber should be adapted for the purpose of hygienic treatment. Typically the extensive use of non-corrosive materials such as stainless steel and plastic would be preferred.

According to another aspect the invention relates to a method of thermally processing product items in a thermal processing chamber provided with a thermal media, said method comprising the steps of:

- conveying the product items through the chamber on a plurality of thermally conductive elements,
- thermally processing the product by providing a thermal convection from the elements to the product items, and

- simultaneously providing a thermal convection from the thermal media to the product items.

## 5 Detailed description of the invention

A preferred embodiment of the invention adapted for continuously freezing food products, will now be described in details with reference to the drawing in which:

10 Fig. 1 shows a processing chamber according to the present invention,

Fig. 2 shows a processing chamber with an in-feed area and a discharge area, seen from the side,

15 Fig. 3 shows a detailed view of a conveyor belt for a form freezing conveyor,

Fig. 4 shows the view of Fig. 3 including indication of a stream of air flowing through the conveyor belt, and

20 Fig. 5 shows a view of the conveyor belt of Figs. 3 and 4 with an in-feed unit.

The processing chamber is used for freezing the food products individually. The products may be fish fillets or similar pieces of meat and they are frozen individually so that they keep their shape and don't stick together. By individually freezing the items it is possible to  
25 increase the value of the products and to maximise the values added in the production process.

The food products are cooled partially by means of convection between a form freezing conveyor belt and the food and partly by means of convection between cold air in the  
30 cooling chamber and the food. The temperature in the cooling chamber is approximately minus 38 degrees Celsius, which gives a fast and efficient cooling.

By means of a faster cooling of the products, the time period in which the products are exposed to a strong stream of cooling air is shortened. Therefore the frozen products



losses less amount of water and therefore the yield and quality of the final products is higher.

Referring to Fig. 1 the processing chamber comprises an in-feed unit 1, an upper form freezing conveyor belt 2, a lower form freezing conveyor belt 3, an upper full freezing conveyor belt 4, a lower full freezing conveyor belt 5, a chute 7 for conveying products out of the chamber, a chute 8 for the transfer of products between the full freezing conveyor belts 4 and 5, a cabinet 14 and a door 17 adapted for the purpose of cleaning and maintenance.

10

As best seen in Fig. 2 the in-feed unit 1 divides the products into a number of form freezing conveyor belts - Fig. 2 shows two form freezing belts 2,3. The in-feed unit is positioned so that the food items are being moved to the conveyor belt 2 where they are positioned flat against the upper surface of the conveyor belt 2. When the conveyor belt 2 is full, the conveyor belt is stopped and the in-feed unit 1 is moved down so that the food items are not moved to the conveyor belt 3 and the procedure is repeated. While the conveyor belt 3 is being filled, the food on conveyor belt 2 is given time to reach a form stable frozen shell. When conveyor belt 3 is full, the in-feed unit 1 is again moved to the conveyor belt 2, which again starts to convey new food item from the in-feed unit and into the chamber, while the now form stable, partly frozen items are thrown into a chute 6 and collected by the full freezing conveyor belt 4.

The chute 8 is adapted to receive or food products from the conveyor belt 4 and for intermediately storing the products before they are moved to the conveyor belt 5. The chute 8 could also be adapted for moving food products to a glazing unit before they re-enter the chamber onto conveyor belt 5.

The full frozen food products leave the chamber through the chute 7 for further processing or packing.

30

The evaporator is divided into a lower and an upper part 9, 10. The evaporator cools the chamber, e.g. by evaporation of CFC gases or by ammonia compressed by a compressor.

The ventilator 11 with the electric motor 12 is adapted for bringing cold air from the evaporator to the conveyor belts. The isolator 13 isolates the chamber from the ambience by counteracting airflow in and out of the chamber. The inlet to the chamber is also provided with an isolator 15.

5

The doors 16 and 17 are as mentioned before provided for inspection and maintenance of the chamber.

Referring to Fig. 3 the form freezing conveyor belts are made from a plurality of elongated  
10 beams 18 connected in an endless belt by means of stainless steel chains 19. The steel chains may be of a regular type but according to a preferred embodiment, bolts 24 are inserted into holes in the end of each of the chain links and thus connect the links of the chain. The bolts are screwed into the elongated beams and thus simultaneously connect the individual links of the chain and connect the chain with the beams. Since the bolts are  
15 allowed to rotate in the holes the beams are allowed to rotate as well.

The beams 18 are made from aluminium, but it could be made from any material having a good thermal conductivity. The aluminium profiles may preferably be coated with a plastic coating such as a PTFE or Teflon<sup>TM</sup> coating. The coating enables the form frozen food  
20 items easily to drop of the belt instead of sticking to the belt and further protects the aluminium from corroding. The beams are provided with a wing shaped cross sectional shape enabling a turbulence free stream of air to pass through the passage 30 between the downward oriented beams. In addition the smooth shape of the surface increases the quality and thus the value of the form frozen product further.

25

The wing formed cross sectional shape of the beams provides a top part of the beams, when raised to a horizontal position, which top part forms a platform for form freezing of the products. The products lying on the platform quickly form freezes with a plan surface towards the plan platform, both due to the cooling inducted from the beams below the  
30 products and due to the cooling from the cold air from above the products. After the from freezing the stiffness of the products hinders that the shape changes in the rest of the process when moving between the conveyors of the chamber. The very high heat convection capabilities of the aluminium beams ensures that the cooling of the products is extremely fast compared with the cooling of traditional conveyors made of plastic or made  
35 of a steel grid where consequently only the thermal convection from cold air contributes to

the cooling. In the conveyor according to the present invention, both the surface freezing due to the thermal conductance of the cold aluminium and the cooling from the cold air is used.

- 5 The shape of the beams not only increases the air flow around the product but also ensures a homogen air flow, and controls the airflow in such a way that it hinders hot spots around the product. At the same time the beams are moving and therefore the air flow gets more homogen.
- 10 The frame 20 supports the chain wheel 32. The chain wheel is preferably made from PE plastic and attached between the two chain elements 25, so as to support the chain and thus the beams.

The arrow 22 indicates the direction of the conveyor belt.

15

- The distance between each of the beams or the size of the beams is selected so that the end portion 26 of each of the beams is being supported by the top portion 27 of the succeeding beam when the beams are being lifted around the driving or supporting wheel 28. At the other end of the endless loop at the support or driving wheel 29, the beams fall
- 20 down into an orientation wherein they are freely hanging vertically downwards.

As seen in Fig. 3 the food products, such as a fish fillet 21 is supported on a plan, continuous upper surface across at least a number of the beams 18.

- 25 Now referring to Fig. 4 a stream of air 23 can flow from the side of the conveyor belt, partly over the belt and partly below the belt. As indicated, the part of the stream of air flowing below the belt can pass through the passage between the vertically hanging beams and onto the succeeding conveyor belt positioned below
- 30 It is essential for the freezing capacity as well as for the product quality that the food products are positioned precisely and flat against the surface of the form freezing conveyor belt. Referring to Fig. 5 the in-feed conveyor belt in the in-feed unit 1 should therefore preferably be provided with an end 31, which is adapted to convey the food to a point near the surface of the form freezing conveyor belt. The conveying speed of the
- 35 form freezing conveyor belt should be at least as fast or even faster than the conveying

speed of the in-feed conveyor belt. In that way the food products are pulled off the in-feed conveyor belt and that minimises the risk of the food products being twisted at the transfer between the two conveyors belts.

- 5 The full freezing conveyors 3 and 4 are made of PE-plastic with half open conveyor belts and with steel side-chains made of stainless steel on each side. By using steel side-chains and conveyor belts made of plastic, a heating expansion on the plastic conveyor can be reduced. The steel side-chain hinders the expansion of the plastic conveyor and has the same heat expansion coefficient as the frame, at a position where the conveyors
- 10 are. There it is not a to heat up the chamber e.g. for the defrosting of the evaporators. By defrosting the evaporator the temperature goes from appr.  $-38^{\circ}\text{C}$  up to appr.  $30^{\circ}\text{C}$  and so there will be significant expansion of the regular plastic conveyors. This construction of the full freezing conveyors enables better glazing abilities than with the known constructions for full freezing, where glazing is performed after the product leaves the
- 15 freezer. During that procedure it may happen that the temperature of the products is lowered by the glazing so that the product loses its quality. Furthermore the products can freeze together which again lowers the price of the product.

The conveyors are driven by frequency controlled electrical gear motors which work

20 independently. On the end of these gear motors, impulse indicators are connected to sensors so that a control computer can count the pulses and therefrom calculate the location of each beam in the belt conveyor. A connected control computer, e.g. in the form of an industrial PC - not shown in the Figs. can therefore at all time track the exact loop position of the conveyors independently and therefrom regulate the system. The control of

25 the chamber may preferably be performed with a software code stored in the memory of the industrial computer.

## Claims

1. A thermal processing chamber for processing individual product items, said processing chamber comprising:
- 5
- a conveyor for conveying the product items in the chamber, said conveyer comprising:
  - a conveyor belt forming an endless loop with a processing part and an idling part, the conveyor belt comprising a plurality of thermal conductive elements, each of the
  - 10 elements being adapted to obtain a first orientation in the processing part of the loop and adapted to obtain a second orientation in the idling part of the loop, the first orientation providing a substantially plan and continuous surface for supporting the product items across at least a number of the elements, and
  - power driven means for advancing the conveyor belt,
  - 15
- wherein the thermal processing of the product items is performed by a thermal convection from the elements to the product items.
2. A thermal processing chamber according to claim 1, further comprising means for
- 20 providing a thermal media to the chamber.
3. A thermal processing chamber according to claim 2, wherein the thermal media is a gas.
- 25 4. A thermal processing chamber according to claim 3, wherein the second orientation of the elements provides a passage between the elements so as to allow the gas to flow between the elements.
5. A thermal processing chamber according to claim 4, wherein the second orientation is
- 30 adjustable so that the size of the passage is adjustable whereby the amount of gas flowing between the elements can be controlled.
6. A thermal processing chamber according to any of the preceding claims, wherein the thermal conductive elements are parallel arranged elongated beams having a wing
- 35 formed cross sectional shape.

7. A thermal processing chamber according to any of claims 2-6, wherein the thermal processing of the product items is performed by a combination of a first thermal convection from the elements to the product items and a second thermal convection from the thermal media to the product items.
8. A thermal processing chamber according to any of claims 2-7, wherein the elements are being thermally influenced by a third thermal convection from the thermal media to the elements.
9. A thermal processing chamber according to any of claims 2-7, wherein the thermal media is being thermally influenced by a fourth thermal convection from the elements to the thermal media.
10. A thermal processing chamber according to any of the preceding claims, wherein the thermal processing is freezing of the product items and wherein the thermal media is a cooling media.
11. A thermal processing chamber according to claim 10, wherein the cooling media is selected from a group comprising:
- plain air,
  - CO<sub>2</sub>, and
  - nitrogen.
12. A thermal processing chamber according to claim 10 or 11, wherein the elements are cooled electrically.
13. A thermal processing chamber according to any of claims 1-9, wherein the thermal processing is heating and wherein the thermal media is heated gas.
14. A thermal processing chamber according to claim 12 or 13, wherein the elements are heated by electricity.

15. A thermal processing chamber according to any of the preceding claims, wherein the elements are made from a thermal conductive material.
- 5 16. A thermal processing chamber according to claim 15, wherein the thermal conductivity of the material is between 30 and 230 W/(K\*m), such as between 209 W/(K\*m) and 229 W/(K\*m).
17. A thermal processing chamber according to any of the preceding claims wherein the  
10 elements are made from aluminium.
18. A thermal processing chamber according to any of the preceding claims, wherein the elements are coated with a material with a low surface friction.
- 15 19. A thermal processing chamber according to any of the preceding claims, wherein the elements are adapted to rotate from the first orientation to the second orientation upon movement of the elements in the endless loop from the processing part to the idling part of the loop and wherein the elements are adapted to rotate back from the second position to the first position upon movement of the element in the endless loop from the idling part  
20 to the processing part of the loop.
20. A thermal processing chamber according to claim 19, wherein the rotation is driven by gravity.
- 25 21. A thermal processing chamber according to any of the preceding claims, further comprising an additional conveyor with a conveyor belt forming an endless loop, the conveyor belt having a partly open surface towards the thermal media.
22. A thermal processing chamber according to any of the preceding claims, wherein the  
30 product items are food items.
23. A method of thermally processing product items in a thermal processing chamber provided with a thermal media, said method comprising the steps of:

- conveying the product items through the chamber on a plurality of thermally conductive elements,
  - thermally processing the product by providing a thermal convection from the elements to the product items, and
- 5 – simultaneously providing a thermal convection from the thermal media to the product items.






Fig. 1




Fig. 2




Fig. 3




Fig. 4





Fig. 5

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
8 March 2001 (08.03.2001)


PCT

(10) International Publication Number  
**WO 01/16537 A3**

- (51) International Patent Classification<sup>7</sup>: **F25D 13/06**, 25/04, A23B 4/06, A23L 3/36
- (21) International Application Number: **PCT/IS00/00007**
- (22) International Filing Date: 29 August 2000 (29.08.2000)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:  
5170 31 August 1999 (31.08.1999) IS
- (71) Applicant (for all designated States except US): **SK-AGINN HF** [IS/IS]; Bakkatuni 26, IS-300 Akranes (IS).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): **ARNASON, Ingolfur** [IS/IS]; Soleyjargotu 14, IS-300 Akranes (IS). **NORD-DAHL, Gardar** [IS/IS]; Sunnubraut 30, IS-300 Akranes (IS).
- (81) Designated States (*national*): AE, AG, AL, AM, AT, AT (utility model), AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, CZ (utility model), DE, DE (utility model), DK, DK (utility model), DM, DZ, EE, EE (utility model), ES, FI, FI (utility model), GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KR (utility model), KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SK (utility model), SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).
- Published:  
— with international search report
- (74) Agent: **A & P ARNASON**; Borgartun 24, IS-105 Reykjavik (IS).
- (88) Date of publication of the international search report:  
30 August 2001

[Continued on next page]

(54) Title: A THERMAL PROCESSING CHAMBER AND A METHOD OF THERMALLY PROCESSING PRODUCTS



(57) Abstract: The present invention relates to a chamber and a method for continuous thermal processing of products being conveyed through the chamber. The thermal processing could be quick-freezing of fish or similar food items. The invention relates more specifically to a device and a method for processing the food items by means of thermal convection directly from a conveyor belt combined with thermal convection from an additional thermal source such as from the surrounding air. The combination of thermal induction provides a good performance e.g. for freezing products fast. The invention further relates to a conveyor belt for form stabilising the food items during the thermal process.

WO 01/16537 A3



*For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

## INTERNATIONAL SEARCH REPORT

International application No.

PCT/IS 00/00007

## A. CLASSIFICATION OF SUBJECT MATTER

IPC7: F25D 13/06, F25D 25/04, A23B 4/06, A23L 3/36

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC7: F25D, B65G, A23B, A23L

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

| Category* | Citation of document, with indication, where appropriate, of the relevant passages  | Relevant to claim No. |
|-----------|---|-----------------------|
| X         | EP 0451346 A2 (KABUSHIKI KAISHA TAIHEI SEISAKUSHO),<br>16 October 1991 (16.10.91), column 2,<br>line 44 - column 3, line 33; column 5,<br>line 38 - column 6, line 23, figures 1-37 | 23                    |
| A         | --  | 1-22                  |
| A         | US 3584471 A (H.R. POWELL), 15 June 1971<br>(15.06.71), the whole document  | 1-23                  |
| A         | US 4205536 A (K. KASAHARA), 3 June 1980 (03.06.80),<br>the whole document   | 1-23                  |
|           | --  |                       |

☒ Further documents are listed in the continuation of Box C.☒ See patent family annex.

\* Special categories of cited documents

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier application or patent but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&amp;" document member of the same patent family

Date of the actual completion of the international search

28 November 2000

Date of mailing of the international search report

26.02.2001

Name and mailing address of the International Searching Authority  
European Patent Office P.B. 5818 Patentlaan 2  
NL-2280 HV Rijswijk  
Tel(+31-70)340-2040, Tx 31 651 epo nl.  
Fax(+31-70)340-3016

Authorized officer

Inger Löfving / MRo  
Telephone No.



## INTERNATIONAL SEARCH REPORT

International application No.

PCT/IS 00/00007

## C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT

| Category* | Citation of document, with indication, where appropriate, of the relevant passages                  | Relevant to claim No. |
|-----------|---|-----------------------|
| A         | US 4881379 A (T. SAKAI), 21 November 1989<br>(21.11.89), the whole document<br><br>--               | 1-23                  |
| A         | US 5520013 A (J-C., KUO), 28 May 1996 (28.05.96),<br>the whole document<br><br>--                   | 1-22                  |
| A         | EP 0262247 A1 (FRISCO-FINDUS AG), 6 April 1988<br>(06.04.88), the whole document<br><br>--<br>----- | 1-22                  |

# INTERNATIONAL SEARCH REPORT

Information on patent family members

297781

International application No.

02/11/00

PCT/IS 00/00007

| Patent document<br>cited in search report |         |    | Publication<br>date | Patent family<br>member(s) |              | Publication<br>date |
|---|---------|----|---------------------|----------------------------|--------------|---------------------|
| EP  | 0451346 | A2 | 16/10/91            | DE                         | 69020720 D,T | 14/03/96            |
|   |         |    |                     | FI                         | 96447 B,C    | 15/03/96            |
|   |         |    |                     | FI                         | 905826 A     | 30/09/91            |
|   |         |    |                     | JP                         | 3087201 A    | 12/04/91            |
| -----                                     |         |    |                     |                            |              |                     |
| US  | 3584471 | A  | 15/06/71            | DE                         | 2038989 A    | 25/02/71            |
|   |         |    |                     | FR                         | 2056538 A    | 14/05/71            |
|   |         |    |                     | GB                         | 1314895 A    | 26/04/73            |
|   |         |    |                     | SE                         | 362949 B     | 27/12/73            |
| -----                                     |         |    |                     |                            |              |                     |
| US  | 4205536 | A  | 03/06/80            | DE                         | 2808837 A,C  | 07/09/78            |
|   |         |    |                     | JP                         | 1014517 C    | 25/09/80            |
|   |         |    |                     | JP                         | 53106956 A   | 18/09/78            |
|   |         |    |                     | JP                         | 55005022 B   | 02/02/80            |
|   |         |    |                     | SE                         | 439367 B,C   | 10/06/85            |
|   |         |    |                     | SE                         | 7802116 A    | 02/09/78            |
|   |         |    |                     | JP                         | 53109408 A   | 25/09/78            |
|   |         |    |                     | JP                         | 1346625 C    | 13/11/86            |
|   |         |    |                     | JP                         | 53138657 A   | 04/12/78            |
|   |         |    |                     | JP                         | 59051774 B   | 15/12/84            |
|   |         |    |                     | JP                         | 53138625 A   | 04/12/78            |
|   |         |    |                     | JP                         | 53146435 A   | 20/12/78            |
| -----                                     |         |    |                     |                            |              |                     |
| US  | 4881379 | A  | 21/11/89            | AU                         | 608097 B     | 21/03/91            |
|   |         |    |                     | AU                         | 2654988 A    | 12/07/90            |
|   |         |    |                     | CA                         | 1328357 A    | 12/04/94            |
|   |         |    |                     | GB                         | 2225629 A,B  | 06/06/90            |
|   |         |    |                     | GB                         | 8828126 D    | 00/00/00            |
| -----                                     |         |    |                     |                            |              |                     |
| US  | 5520013 | A  | 28/05/96            | NONE                       |              |                     |
| -----                                     |         |    |                     |                            |              |                     |
| EP  | 0262247 | A1 | 06/04/88            | AT                         | 44436 T      | 15/07/89            |
|   |         |    |                     | AU                         | 598028 B     | 14/06/90            |
|   |         |    |                     | AU                         | 7813487 A    | 14/04/88            |
|   |         |    |                     | BR                         | 8705046 A    | 24/05/88            |
|   |         |    |                     | CA                         | 1303548 A    | 16/06/92            |
|   |         |    |                     | DE                         | 3664248 D    | 00/00/00            |
|   |         |    |                     | ES                         | 2009865 A    | 16/10/89            |
|   |         |    |                     | FI                         | 91035 B,C    | 31/01/94            |
|   |         |    |                     | FI                         | 874207 A     | 02/04/88            |
|   |         |    |                     | HK                         | 32890 A      | 04/05/90            |
|   |         |    |                     | HU                         | 49827 A      | 28/11/89            |
|   |         |    |                     | HU                         | 209449 B     | 28/06/94            |
|   |         |    |                     | IE                         | 60491 B      | 27/07/94            |
|   |         |    |                     | JP                         | 1705785 C    | 27/10/92            |
|   |         |    |                     | JP                         | 3072260 B    | 18/11/91            |
|   |         |    |                     | JP                         | 63279763 A   | 16/11/88            |
|   |         |    |                     | MX                         | 168623 B     | 01/06/93            |
|   |         |    |                     | NO                         | 169152 B,C   | 10/02/92            |
|   |         |    |                     | NO                         | 874070 A     | 05/04/88            |
|   |         |    |                     | PT                         | 85832 A,B    | 30/11/88            |
|   |         |    |                     | US                         | 4831923 A    | 23/05/89            |
| -----                                     |         |    |                     |                            |              |                     |